





MODEL	DCX / NPM code	KVA @ 50% DC	PRIMARY VOLT/FREQ	SECONDARY VOLTAGE (DC)	TURNS RATIO	WEIGHT KG
TDC-1078	91-901-1220	170	650/1000	9.5 HI-TAP	68:1	45
TDC-56620	---	170	800/1000	9.5	84:1	45
TDC-6599	---	170	325/1000	9.5	13.0	45

COOLING REQUIREMENTS:
7.5 LPM PER CIRCUIT @ 30°C MAX
15 LPM TOTAL



NOTE*
The secondary terminals of this device are intended as an electrical connection only. Applications must be designed to minimize any forces applied to the secondary terminals, this can be accomplished by transferring forces to a structural member.

AA	ADDED DIM FROM SEC PAD TO MOUNTING HOLE	GMA	KLY	06May11
Z	ADDED LABEL FOR HI/LOW CONN. & THERMO/ROG COIL WIRE COLOR	USB <td>KLY <td>04Mar11</td> </td>	KLY <td>04Mar11</td>	04Mar11
Y	ROTATE PRIMARY HOUSING 180 DEG	TWB <td>KLY <td>29JAN10</td> </td>	KLY <td>29JAN10</td>	29JAN10
X	ADDED OVERALL DIMENSION	KLY <td>KLY <td>29JAN10</td> </td>	KLY <td>29JAN10</td>	29JAN10

REV	DESCRIPTION	DATE
1	THIS DRAWING AND ALL THE INFORMATION AND TECHNOLOGY IN IT ARE EXCLUSIVE, CONFIDENTIAL AND PROPRIETARY TO ROMAN MFG., INC. THIS DRAWING IS OWNED BY ROMAN MFG., INC. AND UNLESS SPECIFICALLY AUTHORIZED IN WRITING, NO COPIES SHALL BE MADE OF THIS DRAWING, AND SHALL BE USED ONLY FOR THE LIMITED PURPOSE FOR WHICH IT IS DISCLOSED AND ONLY TO THE BENEFIT OF ROMAN MFG., INC., AND IT AND ANY COPIES, AUTHORIZED OR NOT, SHALL BE IMMEDIATELY RETURNED UPON ANY REQUEST THEREFORE.	11/06/1998
SCALE: None		
DRAWN BY: ACG		
WEIGHT:		
DC Power Supply		
DRAWING NUMBER:		1010335